

Safety Data Sheet
according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 02.26.2015

pH UP Solution, 500mL X 20

SECTION 1: Identification of the substance/mixture and of the supplier

Product name: pH UP Solution, 500mL X 20

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: PHUP500BL

Recommended uses of the product and restrictions on use:

Manufacturer Details:

AquaPhoenix Scientific, Inc.
9 Barnhart Drive
Hanover, PA 17331
1-717-632-1291

Supplier Details:

BlueLab
8 Whiore Ave, Tauriko Industrial Park Tauranga 3110 New Zealand 64 7 578 0849
+64 7 578 0849

Emergency telephone number:

ChemTel: (24-hour) (US and Canada)
1-(800)-255-3924

SECTION 2: Hazards identification

Classification of the substance or mixture:



Corrosive

Corrosive to metals, category 1
Serious eye damage, category 1
Skin corrosion, category 1A

Corr. Metals 1.
Skin corr. 1A.
Eye damage 1.

Signal word: None

Hazard statements:

May be corrosive to metals.
Causes severe skin burns and eye damage.

Precautionary statements:

If medical advice is needed have product container or label at hand.
Keep out of reach of children.
Read label before use.
Keep only in original container.
Wash skin thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
Do not breathe dust/fume/gas/mist/vapours/spray.
Absorb spillage to prevent material damage.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
Wash contaminated clothing before reuse.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Safety Data Sheet
according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 02.26.2015

pH UP Solution, 500mL X 20

Immediately call a POISON CENTER or doctor/physician.
Specific treatment (see supplemental first aid instructions on this label).
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.
Continue rinsing.
Store locked up.
Dispose of contents and container as instructed in Section 13.

Other Non-GHS Classification: None

SECTION 3: Composition/information on ingredients

Ingredients:

Ingredients:		
CAS 7732-18-5	Deionized Water	65 %
CAS 1310-58-3	Potassium Hydroxide	35 %
Percentages are by weight		

SECTION 4: First aid measures

Description of first aid measures

After inhalation:

Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Loosen clothing and place exposed in a comfortable position. Seek medical assistance if cough or other symptoms appear.

After skin contact:

Wash hands and exposed skin with soap and plenty of water. Immediately seek medical attention.

After eye contact:

Protect unexposed eye. Flush exposed eye gently using water for 15-20 minutes. Remove contact lenses, if present and easy to do, and continue rinsing. Immediately seek medical attention.

After swallowing:

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Immediately seek medical attention.

Most important symptoms and effects, both acute and delayed:

Irritation. Shortness of breath. Headache. Nausea. Dizziness.

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agents:

Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

Unsuitable extinguishing agents: None

Special hazards arising from the substance or mixture:

Thermal decomposition can lead to release of irritating gases and vapors.

Safety Data Sheet
according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 02.26.2015

pH UP Solution, 500mL X 20

Advice for firefighters:

Protective equipment:

Wear protective eyewear, gloves, and clothing. Refer to Section 8.

Additional information (precautions):

Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes, and clothing.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Ensure that air-handling systems are operational.

Environmental precautions:

Should not be released into environment. Prevent from reaching drains, sewer, or waterway.

Methods and material for containment and cleaning up:

Wear protective eyewear, gloves, and clothing. Always obey local regulations. If necessary use trained response staff or contractor. Evacuate personnel to safe areas. Containerize for disposal. Refer to Section 13. Keep in suitable closed containers for disposal. Refer to Section 8.

Reference to other sections: None

SECTION 7: Handling and storage

Precautions for safe handling:

Avoid contact with skin, eyes, and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Follow proper disposal methods. Do not eat, drink, smoke, or use personal products when handling chemical substances. Refer to Section 13.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Keep away from food and beverages. Protect from freezing and physical damage. Provide ventilation for containers. Keep container tightly sealed. Store away from incompatible materials.

SECTION 8: Exposure controls/personal protection



Control parameters:

1310-58-3, Potassium Hydroxide, C 2 mg/m³ USA. ACGIH.
1310-58-3, Potassium Hydroxide, C 2 mg/m³ USA. OSHA.
1310-58-3, Potassium Hydroxide, C 2 mg/m³ USA. NIOSH.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

Respiratory protection:

Not required under normal conditions of use. Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved breathing equipment.

Safety Data Sheet
according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 02.26.2015

pH UP Solution, 500mL X 20

- Protection of skin:** Select glove material impermeable and resistant to the substance. Select glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear protective clothing.
- Eye protection:** Wear equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses or goggles are appropriate eye protection.
- General hygienic measures:** Perform routine housekeeping. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes, and clothing. Before re-wearing wash contaminated clothing.

SECTION 9: Physical and chemical properties

Appearance (physical state, color):	Clear colorless liquid	Explosion limit lower:	Not determined
		Explosion limit upper:	Not determined
Odor:	Odorless	Vapor pressure at 20°C:	Not determined
Odor threshold:	Not determined	Vapor density:	>1
pH-value:	Alkaline	Relative density:	Not determined
Melting/Freezing point:	Approximately 0°C	Solubilities:	Soluble in water.
Boiling point/Boiling range:	Approximately 100°C	Partition coefficient (n-octanol/water):	Not determined
Flash point (closed cup):	Not determined	Auto/Self-ignition temperature:	Not determined
Evaporation rate:	Not determined	Decomposition temperature:	Not determined
Flammability (solid, gaseous):	Not determined	Viscosity:	a. Kinematic: Not determined b. Dynamic: Not determined
Density at 20°C:	Not determined		

SECTION 10: Stability and reactivity

Reactivity:

Nonreactive under normal conditions.

Chemical stability:

Stable under normal conditions.

Possible hazardous reactions:

None under normal processing.

Conditions to avoid:

Incompatible materials. Excessive heat.

Incompatible materials:

Strong acids, acetone, metals such as aluminum, tin, zinc, and chlorinated hydrocarbons.

Hazardous decomposition products:

Oxides of potassium, decomposition by reaction with certain metals releases flammable and explosive hydrogen gas.

SECTION 11: Toxicological information

Safety Data Sheet
according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 02.26.2015

pH UP Solution, 500mL X 20

Acute Toxicity:

Chronic Toxicity: No additional information.

Skin corrosion/irritation:

: Skin - Rabbit Result : Severe skin irritation - 24 h 1310-58-3.

: Eyes - Rabbit Result : Corrosive to eyes 1310-58-3.

Serious eye damage/irritation: No additional information.

Respiratory or skin sensitization: No additional information.

Carcinogenicity: No additional information.

Germ cell mutagenicity: No additional information.

Reproductive Toxicity: No additional information.

STOT-single and repeated exposure: No additional information.

Additional toxicological information: No additional information.

SECTION 12: Ecological information

Ecotoxicity:

: 1310-58-3, LC50 - Gambusia affinis (Mosquito fish) - 80 mg/l - 96 h.

Persistence and degradability: No additional information.

Bioaccumulative potential: No additional information.

Mobility in soil: No additional information.

Other adverse effects: No additional information.

SECTION 13: Disposal considerations

Waste disposal recommendations:

Contact a licensed professional waste disposal service to dispose of this material. Dispose of empty containers as unused product. Product or containers must not be disposed together with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification. Neutralize with dilute acid solutions.

SECTION 14: Transport information

US DOT

UN Number:

ADR, ADN, DOT, IMDG, IATA

1814

Limited Quantity Exception:

None

Bulk:

RQ (if applicable): None

Proper shipping Name: Potassium Hydroxide Solution.

Hazard Class: 8

Packing Group: III.

Non Bulk:

RQ (if applicable): None

Proper shipping Name: Potassium Hydroxide Solution.

Hazard Class: 8

Packing Group: III.

Safety Data Sheet
according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 02.26.2015

pH UP Solution, 500mL X 20

Marine Pollutant (if applicable): No additional information.

Comments: None

Marine Pollutant (if applicable): No additional information.

Comments: None



SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

Acute

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

1310-58-3 Potassium Hydroxide 1000 lb.

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and

Safety Data Sheet
according to 29CFR1910/1200 and GHS Rev. 3

Effective date : 02.26.2015

pH UP Solution, 500mL X 20

regulations applicable to this material.

NFPA: 3-0-1

HMIS: 3-0-1

GHS Full Text Phrases: None

Abbreviations and Acronyms: None