

# MATERIAL SAFETY DATA SHEET — 16 Sections

## SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identifier <b>Supernatural Brand Gro Terra 20-20-20</b>		[WHMIS Classification]	
Product Use <b>Water soluble plant fertilizer</b>			
Manufacturer's Name <b>Rapidgrow Industries Inc.</b>		Supplier's Name <b>Same as manufacturer.</b>	
Street Address <b>20203 113B Ave.</b>		Street Address	
City <b>Maple Ridge</b>	Province <b>BC</b>	City	Province
Postal Code <b>V2X 0Z1</b>	Emergency Telephone <b>604 465 1344/604 868 1698</b>	Postal Code	Emergency Telephone
Date MSDS Prepared <b>2012-10-13</b>	MSDS Prepared By <b>Brian Franczuz</b>	Phone Number <b>604 868 1698</b>	

## SECTION 2 — COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients ( <i>specific</i> )	%	CAS Number	LD <sub>50</sub> of Ingredient ( <i>specify species and route</i> )	LC <sub>50</sub> of Ingredient ( <i>specify species</i> )
Potassium Nitrate	44	7757-79-1	ND	

## SECTION 3 — HAZARDS IDENTIFICATION

Route of Entry	<input checked="" type="checkbox"/> Skin Contact	<input type="checkbox"/> Skin Absorption	<input checked="" type="checkbox"/> Eye Contact	<input checked="" type="checkbox"/> Inhalation	<input checked="" type="checkbox"/> Ingestion
[Emergency Overview]	Skin Contact - Irritation could occur with prolonged exposure to dry fertilizer or solution. Eye contact - irritation could occur if dry fertilizer or solution contacts eyes. Inhalation - very low vapour activity, could produce				
[WHMIS Symbols]	<b>noxious</b>				
[Potential Health Effects]	fumes and respiratory tract irritation if heated. Ingestion - Excessive ingestion may result in health hazard.				

## SECTION 4 — FIRST AID MEASURES

Skin Contact	Remove contaminated clothing. Flush affected area with water for 15 minutes. Wash affected area with mild soap and water. Get medical attention if irritation develops or persists.
Eye Contact	Immediately flush eyes with plenty of water. Remove any contact lenses (if easy to do) and continue flushing for 15 minutes. Get medical attention if irritation develops or persists.
Inhalation	If ammonia gas is inhaled from heated fertilizer and breathing has stopped, begin artificial respiration. If breathing is laboured, give oxygen and seek medical attention.
Ingestion	Immediately rinse mouth out with plenty of water. If within 30 minutes after ingestion, give person a small glass of water or milk. NEVER give anything by mouth to an unconscious person. Do not induce vomiting unless instructed to do so by a physician or poison center. Seek medical attention immediately.

SAMPLE FORMAT PROVIDED BY THE WORKERS' COMPENSATION BOARD OF BRITISH COLUMBIA

**SECTION 5 – FIRE FIGHTING MEASURES**

Flammable <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Use flooding quantities of water. Do not use water jet. Wear SCBA and full protective	If yes, under which conditions?	
Means of Extinction clothing if product is involved in a fire. This material is an oxidizer and therefore increases the intensity of any fire or combustible material or combustible substance.		
Flashpoint (°C) and Method NA	Upper Flammable Limit (% by volume) NA	Lower Flammable Limit (% by volume) NA
Autoignition Temperature (°C) ND	Explosion Data – Sensitivity to Impact	Explosion Data – Sensitivity to Static Discharge
Hazardous Combustion Products Ammonia, oxides of nitrogen oxides, cyanuric acid, CO2.		
[NFPA]		

**SECTION 6 – ACCIDENTAL RELEASE MEASURES**

Leak and Spill Procedures Contain the spill. Sweep up spilled material and use or dispose of in an approved manner. Prevent entry into waterways, sewers, basements or confined areas.

**SECTION 7 – HANDLING AND STORAGE**

Handling Procedures and Equipment Avoid direct and prolonged contact with skin.
Storage Requirements Store in cool, dry area in closed container or package. Keep containers closed at all times. Do not reuse containers. Store away from incompatible materials. Use with proper personal protective equipment. Keep out of reach of children.

**SECTION 8 – EXPOSURE CONTROL / PERSONAL PROTECTION**

Exposure Limits <input type="checkbox"/> ACGIH TLV <input type="checkbox"/> OSHA PEL <input type="checkbox"/> Other (specify)
Specific Engineering Controls (such as ventilation, enclosed process) Ventilate to control dust.
Personal Protective Equipment <input checked="" type="checkbox"/> Gloves <input checked="" type="checkbox"/> Respirator <input checked="" type="checkbox"/> Eye <input type="checkbox"/> Footwear <input type="checkbox"/> Clothing <input type="checkbox"/> Other
If checked, please specify type Respiratory - Dust mask if conditions warrant.
Eyes - Wear safety glasses to avoid eye contact. Do not wear contact lenses.
Skin - Wear impermeable gloves to avoid skin contact.

**SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

Physical State Solid	Odour and Appearance Fine powder. Slight ammonia odor.	Odour Threshold (ppm) NA
Specific Gravity NA	Vapour Density (air = 1) ND	Vapour Pressure (mmHg) ND
Evaporation Rate ND	Boiling Point (°C) NA	Freezing Point (°C) NA
pH	Coefficient of Water/Oil Distribution	[Solubility in Water]

**SECTION 10 – STABILITY AND REACTIVITY**

Chemical Stability <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If no, under which conditions? Exposure to heat may result in build up of dangerous pressure. Strong oxidizer, reacts violently upon contact of many organic substances, particularly paper and textile.
Incompatibility with Other Substances <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	If yes, which ones? Strong acids, strong alkalis, oxidizers, organics.
Reactivity, and under what conditions? Moist, wet conditions. Fire.	
Hazardous Decomposition Products Ammonia, oxides of nitrogen oxides, cyanuric acid, CO2.	

**SECTION 11 – TOXICOLOGICAL INFORMATION**

Effects of Acute Exposure Skin Contact - Irritation could occur with prolonged exposure to dry fertilizer or fertilizer solution. Contact with heated solution may cause thermal burns. Skin Absorption - Not known to be absorbed through the skin. Eye Contact - Irritation could occur if fertilizer solution is splashed in eyes or dry product contacts eyes. Heated material may cause thermal burns.	
Effects of Chronic Exposure Inhalation - Very low vapour activity. If heated could release ammonia gas. Can cause respiratory tract irritation. Ingestion - Excessive ingestion must occur before any health hazard results, effects of overexposure may include nausea, vomiting, diarrhea, weakness or convulsions.	
Irritancy of Product May cause minor irritation. Urea can cause allergic reaction in some individuals.	
Skin Sensitization May cause minor irritation.	Respiratory Sensitization Very low, if heated may cause irritation.
Carcinogenicity – IARC None known.	Carcinogenicity – ACGIH None known.
Reproductive Toxicity None known.	Teratogenicity None known.
Embryotoxicity None known.	Mutagenicity None known.
Name of Synergistic Products/Effects ND	

**SECTION 12 – ECOLOGICAL INFORMATION**

[Aquatic Toxicity]	Prevent entry into waterways, sewers, basements or confined areas.

**SECTION 13 – DISPOSAL CONSIDERATIONS**

Waste Disposal	Dispose of in non-crop areas away from waterways, in accordance with federal, provincial and local regulations.

**SECTION 14 – TRANSPORT INFORMATION**

Special Shipping Information	
Not regulated by TDG.	
	PIN
TDG	[DOT]
[IMO]	[ICAO]

**SECTION 15 – REGULATORY INFORMATION**

[WHMIS Classification]	Class C Oxidizer	[OSHA]
[SERA]		[TSCA]

*This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by CPR.*

**SECTION 16 – OTHER INFORMATION**

NA = Not Applicable.
ND = Not Determined.